

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 5:		(11) International Publication Number: WO 90/15152
C12P 21/08, A61K 39/395	A1	(43) International Publication Date: 13 December 1990 (13.12.90)
(21) International Application Number: PCT/GE (22) International Filling Date: 31 May 1990 (30) Priority data: 8912497.8 31 May 1989 (31.05.89) (71)(72) Applicants and Inventors: COBBOLD, Steph (GB/GB); Lower Flat, 22 Guest Road, Cambo 2AL (GS). WALDMANN, Herman (GB/GB) ney Way. Cambridge CB4 2ED (GB). (74) Agents: WOODS, Geoffrey, Corlett et al.; J.A. Co., 14 South Square, Grays Inn, London W (GB).	(31.05.	pean patent), CA, CH (European patent), DE (European patent) and European patent). BE (European patent), ES (European patent), HI, FR (European patent), GB (European patent), HI, Tr (European patent), PK RL JU (European patent), NL (European patent), SE (European patent), US. **Published** **Published** **Published** **Pith international search report. **Before the expiration of the time limit for amending the daims and to be republished in the event of the receipt of amendments. **E
(54) Title: MONOCLONAL ANTIBODIES FOR IN	NDUC	ng tolerance

(57) Abstract

Tolerance to an antigen is induced in a subject by administering a non-depleting CD4 monoclonal antibody and a non-depleting CD8 monoclonal antibody. Tolerance to the antigen care be induced under cover of these antibodies. A depleting CD8 monoclonal antibody and/or a depleting CD8 monoclonal antibody and/or a depleting CD8 monoclonal antibody and/or a depleting CD8 monoclonal antibody may be administered prior to the non-depleting antibodies.

DESIGNATIONS OF "DE"

Until further notice, any designation of "DE" in any international application whose international filing date is prior to October 3, 1990, shall have effect in the territory of the Federal Republic of Germany with the exception of the territory of the former German Democratic Republic.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria		Spain		
	Australia	FI	Finland	MG	Madagascar
AU		FR	France	ML	Mali
BB	Barbados				Mauritania
BE	Belgium	GA	Gabon		
BF	Burkina Fasso	GB	United Kingdom	MW	Malawi
	Bulgaria	GR	Greece	NL	Netherlands
BG		HU	Hungary	NO	Norway
BJ	Benin			RO	Romania
BR	Brazil	IT	Italy		
CA	Canada	JP	Japan	SD	Sudan
	Central African Republic	KP	Democratic People's Republic	SE	Sweden
CF		•••	of Korca	SN	Senceal
CC	Congo .			SU	Soviet Union
CH	Switzerland .	KR	Republic of Korea		Chad
СМ	Cameroon	LI	Liechtenstein	TD	
	Germany, Federal Republic of	LK	Sri Lanka	TG	Togo
DE		LII	Lanemboure	US	United States of America

eliennoin Jain entetezát I >

1

MONOCLONAL ANTIBODIES FOR INDUCING TOLERANCE This invention relates to tolerance induction using monoclonal antibodies.

Tolerance to foreign antigen or tissue, or self antigen or tissue is a state whereby an otherwise normal, mature immune system is specifically unable to respond aggressively to that antigen/tissue which it therefore treats like a normal (non-diseased) body

10 tissue/component, yet at the same time it can respond aggressively to foreign or diseased antigens/tissues to which it has not been specifically made tolerant by the natural process of self tolerance or by therapeutic tolerance induction procedures. A test for tolerance

15 usually requires a demonstration that the tolerant individual fails to become immune to the specific antigen/tissue when one or preferably more attempts to immunize are made at a later time when the same individual can be shown to respond to an irrelevant

20 antigen/tissue.

Monoclonal antibodies (mAb) against the murine CD4 (L3T4) antigen have proven to be potent immunosuppressive agents for the control of humoral immunity, transplant rejection and autoimmunity. In

25 addition, CD4 mAbs have been shown to create a tolerance-permissive environment in vivo with which can be achieved tolerance to certain soluble protein antigens as well as transplantation antigens. However, the mechanism(s) by which CD4 mAbs produce these effects are still not clear.

30 In most previous reports, immunosuppression was obtained under conditions that depleted target cells in vivo. A simple interpretation was that the immune suppression so achieved was due to the absence of CD4 T cells.

On the other hand, in <u>vitro</u> work has demonstrated 35 that CD4 (and CD8) mabs could affect lymphocyte functions

2

simply through binding to the antigen on the cell surface without cell lysis. In addition, immunosuppression and tolerance induction has been obtained in vivo with the use of sublytic concentrations of CD4 mAbs and by F(ab')₂ CD4 mAb fragments which suggest that for mAb-mediated immune regulation, depletion of target cells may not be essential.

Previous studies have used antibodies that
deplete CD4 cells. We have now found that non-depleting
10 CD4 and CD8 antibodies can also produce tolerance to
foreign immunoglobulins, bone marrow and skin grafts.
Indeed, this observation has general applicability to all
antigens. Further, we have found that administration of
a depleting CD4 mAb and/or a depleting CD8 mAb prior to
15 administration of the non-depleting mAbs can be
beneficial in creating a tolerance-permissive
environment.

The present invention therefore provides products containing a non-depleting CD4 mAb and a non-depleting 20 CD8 mAb as a combined preparation for simultaneous, separate or sequential use in inducing tolerance to an antigen. A non-depleting CD4 mAb for use in a method of treatment of the human or animal body by surgery or therapy and a non-depleting CD8 mAb for use in a method of treatment of the human or animal body by surgery or therapy also form part of the invention. The invention further provides:

- non-depleting CD4 and CD8 mAbs for use together in a method of treatment of the human or animal body by
 surgery or therapy, especially for use in inducing tolerance to an antigen; and
 - a pack comprising as separate components a nondepleting CD4 mAb and a non-depleting CD8 mAb, typically in separate compartments.
- 35 By administering non-depleting CD4 and CD8 mAbs

pulgovorio -wo goteteset I -

3

together, tolerance can be conferred to a primary antigen in a patient. The CD4 and CD8 mAbs can be used to treat autoimmune diseases and to prevent graft rejection without the need for long term immunosuppressive

5 chemotherapy. Tolerance to a graft such as an organ graft or bone marrow transplantation can be achieved.

There are advantages of using non-depleting mabs in vivo. For example, injection of a short course of non-depleting mabs allows quicker recovery of competent cells from blockade and therefore may lessen the risk of opportunistic infection and other complications due to immune deficiency (e.g. leukemia relapse after T-depleted bone-marrow transplantation) following mab treatment. In addition, it is now known that CD4 cells can be further divided into different functional subsets, some of which may be involved in immune regulation. Bulk elimination of T cells may of course result in immune suppression, but it may also destroy an possible influence of CD4-regulatory cells. Therefore, a more subtle manipulation agesired state.

Tolerance may preferably be attained by administering first to a patient depleting CD4 and/or CD8 mabs. The invention therefore further provides:

- 25 non-depleting CD4 and CD8 mAbs and depleting CD4 and/or CD8 mAbs for use together in a method of treatment of the human or animal body by surgery or therapy, more specifically in inducing tolerance to an antigen; products containing a non-depleting CD4 mAb, a non-30 depleting CD8 mAb and either or both of a depleting CD4
 - mAb and a depleting CD8 mAb as a combined preparation for simultaneous, separate or sequential use in inducing tolerance to an antigen; and
- a pack comprising a non-depleting CD4 mAb, a non depleting CD8 mAb and either or both of a depleting CD4

purposio - wo 901515241 La

4

mAb and a depleting CD8 mAb, typically each in a separate compartment.

A combination of non-depleting CD4 and CD8 mAbs can be used to induce tolerance to any antigen without 5 the need for other immunosuppressive agents. A nondepleting mAb is a mAb which depletes fewer than 50%, for example from 10 to 25% and preferably less than 10% of target cells in vivo. They may be used to induce tolerance to a Class I antigen or to a Class II antigen 10 or to an antigen presented by a Class I or Class II antigen. They may be used to induce tolerance to both antigens. In the case of a transplant, for example. Class I and Class II major histocompatibility (MHC) antigens and non-MHC or minor histocompatibility (minors) 15 antigens may be presented. Apart from transplantation antigens, the present invention can be used to induce tolerance to globular proteins, glycoproteins such as immunoglobulins, materials carried on particles such as pollen proteins, polypeptides intended for therapeutic 20 use such as interferon, interleukin-2 or tumour necrosis factor, or hormone replacements such as leutinizing hormone, its analogues and antagonists. Further specific antigens to which tolerance can be conferred include synthetic peptide analogues of protein therapeutic agents 25 which are used for receptor block aid and alloantigens. It is alloantigens which are considered to be responsible for rejection of foreign tissue in tissue transplants or skin grafts.

The mabs which may be used are mabs which are
specific for the CD4 cell surface antigen (CD4 mab) or
for the CD8 cell surface antigen (CD8 mab). By CD4 and
Cd8 mabs we mean not only mabs specific for the human CD4
and CD8 surface antigens but also mabs specific for the
corresponding surface antigens in other species such as
the L3T4 antigen in mice which is the murine equivalent

5

of the human CD4 antigen. The mAbs are typically of the ${\rm IgG_2}$ Class such as rat ${\rm IgG_{2a}}$, mouse ${\rm IgG_{2b}}$ or human ${\rm IgG_{2}}$, but may be human ${\rm IgG_{4}}$. mAb fragments comprising the antibody binding site may be used, such as Fab and F(ab)₂ fragments.

The CD4 and CD8 mAbs are administered together to a host. They may be administered as part of the same formulation or as separate formulations. Typically both mAbs are administered from 1 to 7 times a week,

10 preferably from 1 to 4 times a week, for example three times a week, for from 2 to 4 weeks, preferably for 3 weeks. An effective amount of the non-depleting mAbs is given. Testing for saturating amounts of antibody in serum should indicate that sufficient antibody is

15 present. Enough of each non-depleting mAb is consequently administered to induce a tolerancepermissive environment in a subject under treatment. The CD4 and CD8 cells can thus be blocked.

The amount of non-depleting CD4 mAb and of non
20 depleting CD8 mAb administered to a patient depends upon
a variety of factors including the age and weight of a
patient, the condition which is being treated and the
antigen(s) to which it is desired to induce tolerance.

In a model mouse system from 1µg to 2mg, preferably from

25 400µg to 1mg, of a mAb is administered at any one time.

In humans from 1 to 400mg, such as from 3 to 30mg, for
example from 5 to 20mg, of antibody may be given. A

CD11a mAb, a non-depleting mAb, may be used in addition
to CD4 and CD8 mAbs or in place of either or both of the

A foreign antigen(s) to which it is desired to induce tolerance can be administered to a host from up to 5 days before a course of non-depleting CD4 and CD8 mAbs is commenced to up to 5 days or even 2 to 3 weeks after 35 the course has been completed. Generally, however, an

04/00/00/00 -WO 901515941 L 3

antigen is administered within the first 14 days of the course commencing, typically within 7 days of the course commencing. The antigen can be given at the time the course of CD4 and CD8 mAb treatment is commenced.

Tolerance can therefore be induced to an antigen in a host by administering non-depleting CD4 and CD8 mAbs and, under cover of the mAbs, the antigen. A patient may be operated on surgically under cover of the non-depleting CD4 and CD8 mAbs to be given a tissue

10 transplant such as an organ graft or a bone marrow transplant. Also, tolerance may be induced to an antigen already possessed by a subject. Long term specific tolerance can be induced to a self antigen or antigens in order to treat autoimmune disease such as multiple

15 sclerosis or rheumatoid arthritis. The condition of a patient suffering from autoimmune disease can therefore

patient suffering from autoimmune disease can therefore be alleviated.

Persistant antigen is required to maintain

tolerance. A tissue graft, for example, supplies the
antigen to maintain tolerance to itself. The same
applies to self (auto) antigens in the treatment of
autoimmune diseases. In the case of extraneous foreign
antigen such as allergens, antigen reminders can be given
at regular intervals.

25 It may be preferable to treat a host with a depleting CD4 mAb and/or a depleting CD8 mAb before commencing treatment with non-depleting mAbs. A depleting mAb is a mAb which depletes more than 50%, for example from 90 to 99%, of target cells in vivo.

30 Depleting antibodies include rat IgG_{2b} or IgG₁, mouse IgG_{2a} and human IgG₁ and IgG₃. A depleting CD4 mAb and/or a depleting CD8 mAb may therefore be used to reduce the relevant population of T cells. The non-depleting mAbs therefore have fewer T cells to work on.

35 Depletion may alternatively be achieved by conventional

7

immunosuppressive therapy such as administration of another mab such as CAMPATH (Trade Mark) 1, steroids, cyclosporin, ALG (anti-lymphocyte globulin) or irradiation.

The level to which a population of T cells is reduced by a depleting mab may depend upon the antigen(s) to which it is wished to achieve tolerance. It may be preferable to reduce the T cell population further for difficult antigens, for poorly matched tissue grafts,

where recipients have been previously exposed to donor antigens and are primed (for example multiply transfused patients) or in autoimmune diseases where the patients are both primed and undergoing continuous activation of their autoimmune state. A poor tissue match, for the example, is where one or more Class I major

5 example, is where one or more Class I major histocompatibility antigens do not match.

It may therefore be necessary to reduce a population of CD4-positive helper T cells to less than about 70%, for example less than about 50%, 20% or even 20 10%, of their normal level. The more difficult it is likely to be to achieve tolerance, the greater the amount of depletion it is desirable to achieve. CD8-positive T cells may be depleted in the same way.

The depleting CD4 mAb and/or depleting CD8 mAb is

25 typically administered from 1 to 7 times a week,
preferably from 2 to 4 times a week, for example three
times a week or once or twice, preferably once, from 1 to
7 days, for example from 1 to 5 days, before commencement
of the treatment with non-depleting CD4 and CD8 mAbs. An
30 antigen to which it is desired to induce tolerance may be
administered at the same time as, or within 5 days of,
administration of the depleting mAb. The amount of
depleting mAb which is given depends upon a variety of
factors including the level to which it is desired to
35 reduce the relevant population of T cells, the age and

8

weight of a patient, the condition which is being treated and the antigen(s) to which it is desired to induce tolerance. In a mouse model system, dose of from 1µg to 2mg, preferably from 400µg to 1mg, of a depleting mab may 5 be given. In humans, from 1 to 400mg, such as from 3 to 30mg, for example from 5 to 20mg, of antibody may be given.

The depleting and non-depleting CD4 and CD8 mAbs can be raised in any convenient manner. They may be made to by conventional methods of fusing immune rat spleen cells to a rat myeloma cell line such as Y3/Ag 1.2.3. (Clark and Waldmann, chapter 1 of "Monoclonal Antibodies", which is a book edited by P.C.L. Beverley in a series "Methods in Hematology", Iongman (Churchill Livingstone), 1986).

15 Any other method may be employed such as by fusing immunised mouse spleen cells with a mouse myeloma, a rat myeloma or human myeloma or by recombinant DNA

methodologies.

All mab administrations are given parenterally,
20 for example intravenously. The mabs are generally being
given by injection or by infusion. For this purpose a
mab is formulated in a pharmaceutical composition
containing a pharmaceutically acceptable carrier or
diluent. Any appropriate carrier or diluent may be used,
25 for example isotonic saline solution. When specific
antigens to which it is wished to confer tolerance are
given, these may be administered parenterally, for
example intravenously, intramuscularly or subcutaneously.
The antigen is typically formulated with a
30 pharmaceutically acceptable carrier or diluent as above.

The respective hybridomas producing mabs YTS 177.9, YTS 191.1, YTS 105.18 and YTS 169.4 were deposited at the European Collection of Animal Cell Cultures, Porton Down, G.B. on 30 May 1990 under accession numbers

35 ECACC 90053005, ECACC 87072282, ECACC 90053004 and ECACC

PCT/GB90/00840 WO 90/15152

9

87072284.

10

20

The following Examples illustrate the invention. In the accompanying drawings:

Figure 1 shows synergy and interference of 5 complement lysis by combinations of rIgG2a and rIgG2b Mabs. CBA/Ca thymocytes labelled with 51-Cr (30\u00a4Ci/ml) were incubated with Mabs as indicated under each bar and 2% guinea pig serum as the complement source. Mab concentration: (A) $5\mu g/ml$; (B) $25\mu g/ml$ of the Mabs used.

Figure 2 shows the results of injection of rIgG2a CD4 in vivo without T cell depletion. ATX CBA/Ca mice (n=3) were given a single injection of the indicated Mabs (2mg/mouse) and bled at 1, 4 and 8 weeks later. BPL were stained with biotinylated Mabs against CD4 (YTA 3.1 6), 15 CD8 (YTS 156.7 ▲) and Thy-1 (YBM 29.2 ▼), followed by streptavidin-FITC. The results were analysed by flow cytometry and the percentage of each population was calculated using that of the untreated control on the test day as 100%.

Figure 3 shows how tolerance to HGG was induced by IgG2a CD4 Mab YTS 177.9. Normal CBA/Ca mice were given YTS 177.9 or YTS 191.1, at doses indicated on days -1, 0 and 1. 1 mg heat-aggregated HGG was injected on day 0. The mice were rechallenged with 0.5 mg HGG on 25 days 28 and 35. Control mice received 1 mg of YTS 177.9 as others, but immunized with HGG only on days 28 and 35. serum anti-HGG titres were measured on day 45 by an ELISA assay.

Figure 4 shows the results of injection of YTS 30 177.9 to induce specific tolerance to rat IqG2a. Normal CBA/Ca mice were given 3 injections of YTS 177.9 or YTS 191.1 at the indicated doses on 3 consecutive days. 6 weeks later, they were rechallenged with weekly injection of YTH 35.4 (IgG2a rat anti-human) and Campath (Registered Trade Mark) 2 (IgG2b rat anti-human), first

ANSDOCID. < WO 9015152A1 | >

10

in complete, then in incomplete Freunds adjuvant. On the tenth week, they were bled and anti-IgG2a (open-bar) and anti-IqG2b (cross-hatched bar) titres were measured with an ELISA assay using plates coated with HPLC-purified 5 rat IgG2a and IgG2b mabs respectively.

Figure 5 shows prolonged allogeneic skin graft survival after IgG2a CD4 and CD8 Mab treatment. Normal CBA/Ca mice (n=6) were given 3 injections of YTS 177.9 and YTS 105.18 or YTS 191.1 and YTS 169.4 (total 10 antibody, 3 mg/mouse) on days 0, 2 and 4. Full thickness BALB/c tail skin was grafted on day 0. Statistic value by Logrank method: IgG2b Mab treated () v.s. nontreated control (●) p<0.005; IgG2a treated (▼) v.s. control p≤0.001; v.s. IqG2b treated p<0.03.

Figure 6 shows tolerance to allogeneic skin grafts by rIgG2a mAbs. Normal CBA/Ca mice were grafted with B10.BR skin and received (1) a mixture of YTS 177.9 and YTS 105.18 on days 0 and 2 (2 mg/mouse total); the same mAbs over 3 weeks (9 mg/mouse total). On day 20 89, they were regrafted with skin from B10.BR (3 and 4) and B10.D2 (dotted lines).

15

Figure 7 shows the results of experiments investigating tolerance to bone marrow and skin grafts. A: Tolerance to B10.BR. Recipient CBA/Ca mice (n=8) 25 were given 1-3 weeks injections of a combination of rigG2a CD4 and CD8 mAbs, following an infusion of 107 Tdepleted spleen cells and 107 bone marrow cells. Control mice (n=4) were either bone marrow and saline injected or bone marrow treated only. All groups were grafted with 30 Blo.BR skin thirty days later. Chimerism of donorallotype Ig was measured at 24 and 60 days post bone marrow transplant as 2.6±1.6 and 1.3±0.7 per cent respectively for marrow and antibody treated mice (*). Neither saline (▲) nor BM only (■) groups showed any 35 detectable chimerism. B: Tolerance to AKR/J. Normal

15

CBA/Ca recipient mice were injected for 3 weeks with a combination of rigG2a CD4 and rigG2b CD8 mAbs. 2x107 AKR/J bone marrow cells were infused intravenously 2 days after the beginning of mAb treatment. 4 weeks later,

5 they were grated with AKR/J skin (●). Control mice were antibody-treated only (A).

Figure 8 Tolerance to skin grafts can be established in ATx mice. ATx mice (n=9) were injected with $rigG_{2a}$ CD4 and CD8 mAbs every other day for 2 weeks. 10 Blo.BR skin was grafted 3 days after the beginning of mAb treatment. On day 60, they were regrafted with B10.BR and BALB/c grafts (*) were rejected by ATX mice carrying B10.BR skin grafts (A). Control ATx mice were grafted with BlO.BR skin (■).

Figure 9 shows allogeneic skin graft survival in mice treated with difference combinations of CD4 and CD8 antibodies. Recipient CBA/Ca mice, in three groups of 8-14, were grafted with BALB/c skin on day 0, and treated with monoclonal antibodies from day 0 to day 2, as 20 described in Example 2. The first group (*) received only rat IgG2a antibodies, the second (*) received a cocktail of rat IgG_{2b} antibodies, while the third group

(*) was given the combination protocol of rat IgG2h followed by rat IgG_{2a} antibodies. All mice in this third 25 group were given new BALB/c (▲) and B10 (■) skin grafts at day 94 without further antibody.

Analysis of graft survival: IgG2a group MST=28 days versus IgG_{2b} group MST=55 days; P<0.006: Combined protocol group original BALB/c graft MST=121 days 30 compared to IgG2a or IgG2b groups P<0.001: Combined protocol group second BALB/c graft MST=43 days compared to third party BlO graft MST=16 days P<0.04.

Figure 10 shows the induction of tolerance to MHC-mismatched skin grafts. Groups of 8-12 CBA/Ca mice 35 were grafted with B10 skin on day 0, and treated with

monoclonal antibodies from day 0 to 21, as described in Example 2.

- (a) The first group were control mice (♥) given no antibody. A second group (♦) were given only rat 5 IgG_{2a} antibodies, while the remaining group (♠) all received the combined IgG_{2b} and IgG_{2a} protocol. This last group were given new B10 skin grafts (♠) and third party BALB/c skin (♥) on day 119.
- Analysis of graft survival: control (no 10 antibody) group MST=14 days compared to IgG2a group MST=48 days P<0.001: Combined protocol original B10 grafts MST>250 days compared to second B10 grafts MST=44 days (from day 119) P<0.002: second B10 grafts compared to third party BALB/c grafts MST=13, P<0.003.
- (b) A group of 8 CBA/Ca mice were given B10 skin grafts together with the combined IgG_{2b} followed by IgG_{2a} antibody protocol (**). The mice were given second B10 skin grafts on day 91 (**) together with third party B10.BR skin (**).
- 20 Analysis of graft survival: all groups MST>200 days.

Figure 11 shows the induction of tolerance to multiple minor antigen mismatched skin. Two groups 8 and 10 CBA/Ca mice were given AKR/J skin grafts on day 0.

- 25 Control mice (▼) received no antibody. The remaining group were given the combined rat IgG_{2b} followed by rat IgG_{2a} antibody protocol (●), and were regrafted at day 122 with fresh AKR/J skin (▲) and third party minors different Blo.BR skin (■).
- Analysis of graft survival: no antibody controls MST=13 compared to combined protocol original AKR/J grafts MST>250 days, P<0.001: Second AKR/J grafts MST>128 days compared to third party B10.BR grafts MST=27 days, P<0.009.
- 35 Figure 12 shows the induction of tolerance to

multiple minor antigen mismatched skin in primed recipients. Recipient CBA/Ca mice were primed to donor minor antigens by ip injection with 10⁷ irradiated (2000 rad) spleen cells from either AKR/J (a,b) or B10.BR (c,d), three weeks prior to skin grafting. Groups of 5-13 mice were grafted with AKR/J (a,b) or B10.BR (c,d) skin (•) under cover of monoclonal antibodies from day 0-21, as described in Example 2. Two groups received the combined IgG_{2b} and IgG_{2a} protocol (a,c), and two were 10 given rat IgG_{2a} antibodies only (b,d). Mice were regrafted on day 89 (a,c) or day 96 (b,d) with second donor-type (•) grafts (AKR/J in groups a and b; B10.BR in groups c and d) and third party minors different (*) skin (B10.BR in groups a and b; AKR/J in groups c and 15 d).

Analysis of graft survival: (a) combined protocol original AKR/J grafts MST>225 days compared to third party B10.BR grafts MST=41 days (from day 89), P<0.007. (b) IgG_{2a} treated original AKR/J grafts MST>200 days compared to third party B10.BR grafts MST=42 days (from day 96), P<0.02. (c) all groups MST>day 225 of experiment (d) all groups MST>day 200 of experiment.

Figure 13 shows the induction of tolerance in mice actively rejecting a first skin graft. Two groups 25 of 6 and 11 CBA/Ca mice were grafted with AKR/J skin on day 0, without any monoclonal antibody treatment. On day 14, when roughly half the mice had rejected these first grafts (*), second AKR/J skin grafts were given in a fresh graft bed and monoclonal antibody treatment 30 initiated (*). Mice then received either the combined rat IgC2D followed by IgC2B three week protocol (a) or

rat IgG_{2a} antibodies alone (b).

Analysis of graft survival: (a) first AKR/J
grafts MST=12 days compared to second, combined protocol
treated AKR/J grafts MST>92 days, P<0.004. (b) second

purpocini -wo ansistati I s

14

 IgG_{2a} treated AKR/J grafts MST>75 days, compared to all first grafts in (a) and (b) MST=12 days; P<0.003. EXAMPLE 1

MATERIALS AND METHODS

5

minopolitic possessors in

Experimental Animals

CBA/Ca, B10.BR and BALB/c mice were bred and kept in the conventional animal facility in the Department of Pathology, University of Cambridge, and were used in age-and sex-matched groups.

10 Identification of Monoclonal Antibodies by Flow Cytometry A rat T-cell line NB2-6TG (kindly provided by Dr.

J. Howard) was transfected with the mouse CD4 gene
(Gorman et al. PNAS USA 84, 7644, 1987). This line,
182.L3T4.Hyg/2.1 was used to screen new CD4 mAbs from a
18 rat anti-mouse thymocyte fusion. Cells (1-5x106) were
incubated with test supernatants, followed by FITCconjugated rabbit anti-rat Ig serum (Dako, Glostrup,
Denmark). The fluorescence staining was analysed by flow
cytometry on a Cytofluorograph (model 50-H Ortho,
20 Westwood, MA, USA) and data were processed by an Ortho
2150 computer.

For competitive binding of mAbs, L3T4/Hyg 2.1 cells were incubated firstly with biotinylated mAbs (1 μ g/10⁵ cells) on ice in the presence of 10 μ g unlabelled abs for 30 minutes. Streptavidin-FITC (Amersham, U.K.) was added for a further incubation of 15 minutes. The results were analysed by the Ortho Cytofluorograph.

Two-colour fluorescence staining was carried out by serially incubating mouse spleen cells with 30 biotinylated first mab, streptavidin-phycoerythrin (Serotech, Kidlington, U.K.), second mab and FITC-conjugated, isotype specific mabs. The green and red fluorescence was detected and displayed on a log scale by the Ortho Cytofluorograph.

25

Immunofluorescence staining of peripheral blood lymphocytes (PBL)

Mouse PBL were separated by centrifugation on Ficoll (specific density 1.079, Phamacia, Sweden) at 3000 5 x g for 20 minutes. Cells at the interface were collected and washed in PBS/BSA/azide. They were then stained either with rIgGob mAbs in tissue culture supernatant, followed by FITC conjugated NORIG 7.16 (anti-rIqGob) or with biotinylated mAbs and followed by 10 FITC-streptavidin (Amersham). The results were analysed by flow cytometry as above.

Complement lysis

Complement lysis was performed as described previously. In brief, mAbs were diluted and incubated 15 with 51Cr labelled mouse thymocytes and 2% guinea pig serum added as the complement source. After 45 minutes at 37°C, the supernatant was collected and radioactivity measured by a Philips Automatic Gamma Counter (Philips, Eindhoven, The Netherlands). The specific lysis was 20 calculated as

% of lysis=(e-s)/(t-s)x100,

where e is the sample count, s is the spontaneous release and t is the total count.

Induction of Tolerance to Human Gamma Globulin (HGG)

The method of tolerance induction to HGG has been described previously (Benjamin et al, J. Exp. Med 163, 1539, 1986). Normal CBA/Ca mice were injected with CD4 mAbs intravenously (i.v.) on day 1, intraperitoneally (i.p.) on day 0 and 1. 1mg of heat-aggregated HGG was 30 given i.p. on day 0. The mice were re-challenged with 0.5mg HGG on days 21 and 31. On day 38, the IgG anti-HGG response was measured by ELISA.

Detection of Mouse Antibody Responses by ELISA

To measure murine antibody responses, sample sera 35 were serially diluted in flat-bottom flexible plates

PCT/GB90/00840 WO 90/15152

16

(Becton Dickinson, USA) coated with purified protein antigens and incubated for 30 minutes. The plates were washed with PBS/0.05% Tween 20 (Sigma, Poole, UK) and then incubated with biotinylated sheep anti-mouse IgG 5 (Amersham) for 30 minutes, and washed as above. Streptavidin-horse radish peroxidase (Amersham) was added in the plates for 15 minutes and after another 3 washes, the reaction was developed by 5mg/ml o-phenolenediamine and 0.1% hydrogen peroxide. The absorbence at 490nm was 10 read and titres determined by comparison with a standard positive control.

Skin Transplantation

Skin grafts were transplanted by a modified method of Billingham et al (Nature 172, 603, 1953). 15 Recipient mice were anaesthetised with 1µg/mouse Hypnodil and 0.2µg/mouse Sublimase (Janssen, Oxford, UK) via i.p. injection. Full-thickness skin graft from donor tail (0.5cm x 0.5cm) was transplanted onto the graft bed on the lateral thoracic wall, covered with vaseline gauze. 20 cotton bandage and protected by plaster for 7 days. The graft survival was observed and recorded daily thereafter, the end point of survival being the last day when no live graft tissue could be seen.

The median survival time (MST) was calculated and 25 analysed by the Logrank method (Peto et al, Br. J. Cancer 35, 1, 1977). Mice were thymectomised at 4 weeks of age by the method of Monaco et al (J. Immunol, 96, 229, 1966) and used at least 4 weeks later. All were checked at sacrifice and none were found incompletely thymectomised.

Preparation of bone marrow cells for transplantation Bone marrow cells were harvested from donor mice pretreated with CD4 and CD8 depleting antibodies to remove T-cells. 2x107 live cells were transferred into suitably prepared recipients to determine whether 35 tolerance could be induced. Chimerism could be

30

17

determined by measurement of donor Ig allotype or donor Thy-1.1 allotype as described previously (Qin et al, 1989, J.Exp. Med. 169, 779).

Adoptive transfer of spleen cells

5

Donor spleen cells were obtained from either naive CBA/Ca mice or CBA/Ca mice that had been presensitized to B10.BR spleen cells and skin grafts 4-8 weeks previously. These were transferred into tolerant CBA/Ca recipients that had been treated with mAbs. 10 grafted with B10.BR skin and had carried the grafts for more than 200 days. Each recipient mouse was injected intravenously with 5x107 spleen cells. As controls, adult thymectomised (ATx) mice were treated with rIgGon CD4 and CD8 mAbs to deplete CD4+ and CD8+ cells. Such 15 mice are unable to reject allogeneic grafts (Cobbold et al, 1984, Nature, 312, 548) and were used here to

demonstrate that the transferred cells could function. Mixed lymphocyte culture

Responder spleen cells were washed and 20 resuspended in Iscove's modified Dulbecco medium (IMDM) supplemented with 10% heat-inactivated human AB serum. Stimulator spleen cells were treated with 25µg/ml mitomycin-C (Sigma, Poole, U.K.) at 37°C for 30 minutes and washed twice in IMDM. 3x105 responder cells and 25 3x10⁵ stimulators were cultured in 96-well flat-bottom microtitre plates at 37°C with 5% CO2. On day-4, cells were pulsed with 10 \(\mu \text{Ci/ml} \) \(\frac{125}{\text{iodo-deoxyuridine}} \) (Amersham) for six hours. Incorporation was measured in a gamma counter. Geometric means of triplicates were calculated. Stimulation of lymphocytes with monoclonal antibodies 30

The mitogenic anti-V\$6 mAb, 46-6B5 was kindly given by Dr. H. Hengartner (Payne et al, 1988, PNAS USA 85, 7695). The mAb was coupled onto 96-well flat-bottom plates at 35 lug/ml at 37°C overnight, then rinsed extensively with

18

IMDM before use. The CD3 mAb, 145-2Cl1, was a kind gift from Dr. J. Bluestone (Leo et al, 1987, PNAS USA 84, 1374), and was used at 1:100 dilution of serum-free tissue culture supernatant. 4.5x10⁵ spleen cells were 5 added into each well, in IMDM and 10% heat-inactivated human AB serum. Proliferation after 4 days of culture was measured as above.

RESULTS

SULTS

Identification of rIqG22 mAb Binding to CD4 Molecule A mAb, YTS 177.9, was isolated on the basis of 10 its binding to an L3T4 transfected cell line using immuno-fluorescence staining (Table 1). Its isotype was determined by reaction with an anti-rIgG2a mAb, RG 7/1.7 (Springer et al, Hybridoma 1,257, 1982) by ELISA (data 15 not shown). Further analyses were carried out to compare this mab with two other CD4 mabs described previously. Binding inhibition studies showed that YTS 177.9 bound to the same epitope as YTS 191.1 (Cobbold et al, 1984, Nature 312, 548) and GK 1.5 (Dialyras et al, Imm. Rev. 20 74, 29-56, 1983) (both CD4 mAbs) but different to that bound by another CD4 mAb YTA 3.1 (Qin et al, Eur. J. Immunol, 17, 1159, 1987) which recognises a separate epitope. In two-colour flow cytometry, YTS 177.9 and YTA 3.1 stained the same population of mouse spleen cells, 25 which is distinct from those stained by a CD8 mAb, YTS

169.4 (Cobbold et al, 1984, Nature 312, 548).

The specificity of YTS 177.9 was also tested by specific 51-Cr release assay. Although the māb was inefficient at lysis when used alone, it exhibited 30 synergy with the CD4 māb YTA 3.1. (Fig. la). On the other hand, YTS 177.9 interfered with the lysis mediated by rIgG2b māb YTS 191.1 which in fluorescence staining was shown to be cross-inhibitory (Fig. lb).

The rIq2a CD4 mAb Does Not Deplete T cells in vivo

- 19 -

To determine the effect of the rIgG2a CD4 mAb on in vivo cell depletion, we used adult thymectomised (ATX) mice because in these animals, T-cell recovery following mAb depletion is much less efficient than in normal mice, 5 due to the absence of thymus-dependent T-cell regeneration. By monitoring the change of peripheral T cells after mAb injection, it was possible to distinguish true depletion from temporary antigenic modulation or lymphocyte re-distribution. Each mouse received 2mg of 10 either IgG2a or IgG2b antibodies and peripheral blood lymphocytes were analyzed by flow cytometry before and at various times after treatment. As can be seen in Fig. 2. one week after completion of the IgG2b mAb therapy, about 90% of the CD4+ cells were depleted from the periphery. 15 This was accompanied by a decreased percentage of total T cells and a slight increase of CD8+ cells. In contrast, although the IgG2a mAb treatment reduced the percentage of CD4+ cells, the total percentage of Thy-1+ cells did not change significantly, nor did that of CD8+ cells. 20 This is considered to be the result of antigenic modulation of CD4 molecules following antibody binding. Four weeks after treatment, the T-cell numbers in IgG2b treated groups still remained low, whilst the YTS 177.9 treated group showed a normal level of CD4+ cells.

Induction of Tolerance to HGG under Cover
of rIGG2a CD4 mAb

25

Previous work using CD4 F(ab')₂ mAb fragments has suggested that mAb facilitated tolerance to protein antigens may not need the depletion of CD4⁺ T-cells. In 30 the present study, we investigated if the non-depleting CD4 mAb, like F(ab')₂ fragments, could have the same effect. Mice were given YTS 177.9 or YTS 191.1 in a 3-day course and one injection of HGG (0.5mg/mouse) on the second day (Day 0). When re-challenged with HGG 4 weeks

later, YTS 191.1 treated mice and mice given high dose (1mg/mouse) of YTS 177.9 had become tolerant to HGG (Fig. 3). However, mice that had received 0.1mg or less of the mab were still able to respond to HGG.

The Ability of YTS 177.9 to Induce Tolerance

WO 90/15152

to rIgG2a mAbs

In vivo administration of xenogeneic antibodies usually elicits antiglobulin responses in the host. One of the features of CD4 mAbs is their ability to suppress this antiglobulin response and even to induce tolerance to other antibodies of the same isotype. In the present study, it was found that the rIgG2a CD4 mAb YTS 177.9 had the same property.

Mice given 0.1-1mg/mouse YTS 177.9 made no 15 primary antiglobulin response, (titre: <1:20). However, mice given 0.01 mg/mouse YTS 177.9 did mount a weak response (1:160). Six weeks after the first antibody injection, these animals were rechallenged with 'irrelevant' (rat anti-human) rIgG2a and rIgG2b mAbs, in 20 Freund's adjuvant to ensure adequate stimulation. The rIgG2a was YTH 34.5 which is a mAb to human CDw52 (Waldmann et al, 1985, Adv. Exp. Med. Biol. 186, 869). The rIgG2b was YTH 12.5 which is a mAb to human CD3 (Waldmann et al, 1985). Mice were bled 4 weeks later and 25 their serum anti-rat Ig titres were measured by ELISA. Just as rIgG2b mAbs rendered mice tolerant to rIgG2b immunoglobulins, mice given a high dose of YTS 177.9 (lmg) were shown to have become completely tolerant to rIgG2a even after repeated boosts (Fig. 4). O.lmg YTS 30 177.9 was insufficient to induce tolerance although it had been immunosuppressive for primary responses. Mice given 0.01mg YTS 177.9 or non-treated control showed

given 0.01mg YTS 177.9 or non-treated control showed secondary-type antiglobulin responses. Tolerance so induced was specific, as YTS 177.9 treated mice were

- 21 -

still able to respond to rIgG2b immunoglobulin, while YTS 191.1 tolerant mice could still respond to rIgG2a.

<u>Delay of Allograft Rejection by rIqG2a mAb Treatment</u>
We found YTS 177.9 as effective as rIqG2b CD4

5 mabs in its ability to prolong allogeneic skin graft survival after a short course of treatment. In the first experiment, normal CBA/Ca mice were given daily injections of either rIgG2a (YTS 177.9) or rIgG2b (YTS 191.1) for 2 weeks, starting from 3 days before allogeneic (BALE/c) skin transplantation (approx. 7mg/mouse total mab). In YTS 177.9 treated group, the MST was significantly prolonged to 20 days (untreated control: 11.3 days; pSO.05, Table 2). This extended graft survival is very similar to that achieved by rIgG2b 15 CD4 mab which depleted cells (MST 19 days).

In graft rejection across MHC Class I and II mismatches, the depletion of both CD4+ and CD8+ subsets has been shown to significantly improve the graft survival beyond the effects of CD4 mAbs alone (Cobbold et 20 <u>al</u>, Transplantation, <u>42</u>, 239, 1986). In the present study, we used another rIgG2a CD8 mAb, which also had little effect on in vivo cell depletion together with the rIgG2a CD4 mAb. This CD8 mAb, YTS 105.18 was found to synergise with the rIgG2a CD4 mAb, YTS 177.9 in further 25 prolonging fully allogeneic skin graft survival. For the purpose of comparison, equal amount of two rIgG2b mAbs (YTS 191.1 and YTS 169.4) or the two rIgG2a mAbs were administered. A total of 3mg/mouse of the mAbs were given on days 0, 2 and 4 relative to skin grafting. The 30 rIgG2b treated CBA/Ca mice rejected BALB/c skin with the MST of 24 days (versus control of 10.5 days, p≤0.005, Fig. 5). Surprisingly, the graft survival in the group treated with rIgG2a CD4 and CD8 mAbs was even longer than that of mice treated with rIgG2b mAbs. 3 out of 4

- 22 -

rIgG2a-treated CBA mice did not reject their BALB/c skin grafts until 45 days after transplantation (MST 46.5 days; versus IgG2b treated group, p≤0.03).

Tolerance to Skin Allografts

Although there have been reports documenting the permanent survival of certain allografts such as heart or pancreas after CD4 mAb treatment, it has been generally found more difficult to maintain a long-term skin graft with mAb treatment alone. We have previously shown that treatment with CD4 depleting mAbs allowed the acceptance of multiple minor mismatched bone marrow, and such mice were then tolerant of donor skin. In the present study, we grafted CBA/Ca mice with skin from BIO.BR mice and treated the recipients with YTS 177.9 (CD4) and YTS 105.18 (CD8). In this H-2 compatible, multi-minor transplantation antigen mismatched combination, all the mice given a 3-week course of mAb treatment accepted the first skin for 90 days. At this time, a second donortype skin, together with a third party (BIO.D2) graft was

20 transplanted. The data in Fig. 6 shows that the first and second grafts all continued to survive indefinitely (>90+ days) while the Bl0.D2 skin was rejected promptly. Of the mice that had been given only 2 injections of the mAbs, 3 of 6 maintained the Bl0.BR skin for 90 days but these were slowly rejected after the second skin graft.

Tolerance and Anergy in Mice Grafted with
Multiple Minor Antigen Mismatched Bone Marrow

Injection of CBA/Ca mice with the combination of rIgG2a CD4 and CD8 mAbs permitted bone marrow engraftment and tolerance to BlO.BR skin (Fig. 7). A similar protocol also permitted chimerism and tolerance by AKR/J marrow (MIs-la) (Fig. 7). As tolerance could be achieved without depletion of CD4 cells we had the opportunity to follow the fate of V86+ CBA/Ca T-cells in the periphery

- 23 -

of the recipient. 4 weeks after monoclonal antibody and marrow infusion the spleen cells of these animals were unable to respond to MIs-la in vitro and were poorly reactive to solid phase stimulation with a mitogenic V 6 mmb (Table 3). FACS analysis showed normal numbers of V\$6^+ cells in the periphery (these were shown to be of recipient Thyl.2 allotype). Clearly the V\$6^+ T-cells were anergic to stimulation. As the CD4 mmb does not deplete T-cells these were assumed to be peripheral T-cells that had been anergized.

To confirm that the thymus was not essential for tolerance of peripheral T-cells AKR/J bone marrow was again used, this time to tolerise ATx mice to MIs-la. Again the spleen T-cells became anergic to MIs-la and V\$6\$ is timulation (Table 4). Neither the bone marrow nor the antibody alone could reproduce this. Clearly the combination of antibodies and marrow were required to bring about peripheral T-cell anergy.

The Demonstration of Peripheral Tolerance to Skin Allografts in Adult Thymectomised Mice

20

30

To confirm that we were looking at bone-fide peripheral tolerance induced by the skin grafts, we repeated the experiment in ATX mice. As the rIGG2a mAbs do not kill T-cells, we expected that immune functions in these mice should return to normal soon after the cessation of antibody therapy. As was found in euthymic mice, tolerance was induced to the test skin, and third party grafts were rejected promptly (Fig. 8).

The "Peripheral" Tolerant State is Refractory to Infusion of Normal Lymphocytes

In both the above skin allograft tolerant models, we asked whether the adoptive transfer of normal lymphocytes could terminate the tolerant state. 50

- 24 -

million spleen cells transfused from normal donors could not restore the ability to reject in either case. A perennial problem with this type of experiment is to show that the infused cells survive and function. In part 5 this was controlled for by transferring the same number of spleen cells into T-depleted ATx mice. In this case the transferred cells were able to mediate skin graft rejection. Only "primed cells" transferred into tolerant mice could break the tolerant state (Table 5). Similar 10 results were found in the mice tolerant to HGG, where tolerance could not be broken by adoptive transfer of normal cells unless recipient CD4+ T-cells had been depleted first. Whatever the difficulties of controlling such experiments, we must conclude that the immune system 15 of tolerant animals does not allow normal virgin T-cells to express their immune potential. EXAMPLE 2

MATERIALS AND METHODS

20

25

oviennoin ann outsteast I s

Mice

CBA/Ca, C57BI.10/Pc, BALB/c, B10.BR and AKR/J mice were bred and maintained in the conventional animal facility of the Department of Pathology, University of Cambridge. Sex matched groups of mice were used at 6-12 weeks of age.

Monoclonal Antibodies

All the rat monoclonal antibodies used in these experiments are listed in Table 1. Antibodies were prepared from ascitic fluid produced in Pristane-primed (DAXLOU)F₁ rats by precipitation with 50% saturated 30 ammonium sulphate followed by dialysis into phosphate buffered saline (PBS;pH7.2). The protein concentration was adjusted to 10mg/ml as estimated by OD₂₈₀ containing 2-5mg/ml of monoclonal antibody. All antibody preparations were passed through a 0.2 micron filter

- 25 -

before administration to mice.

Skin Grafting

Skin grafts were performed as previously reported (Cobbold et al, 1986, Transplantation, 41, 634). In 5 brief, donor tail skin grafts (0.5cm to 1.0cm square) were transplanted onto the lateral thoracic wall of recipient mice under anaesthesia. The grafts were covered with gauze and plaster bandage for 7 days. Graft status was documented three times per week for the first 10 month, and approximately weekly thereafter. Differences in survival were analyzed using the Log-Rank method (Peto et al, 1977, Br. J. Cancer, 35, 1). When performing multiple re-grafts from a range of donors, these were transplanted into a single prepared graft bed, usually on 15 the opposite flank to the original skin graft (Cobbold et al. 1986, Nature, 323, 164). Grafts were observed three times per week initially, and weekly thereafter. Median graft survival times (MST) are given as the number of days until rejection is complete, but tolerated grafts 20 with indefinite survival times were generally in good condition with normal hair growth.

Induction of Tolerance to Skin Grafts

Skin grafts were used as the only source of antigen/ tolerogen, and were performed as described

above, on the same day as the start of monoclonal antibody treatment. Monoclonal antibodies were administered three times per week from day 0 to day 21 (inclusive), with the first two injections (day 0 and day 2) intra-venous, and the remainder intra-peritoneal. The total dose of all antibodies given per injection was 2mg of ascitic immunoglobulin fraction in 0.2ml of PBS. For rat Igc2b antibodies this was 0.5mg each of YTS 191.1.2, YTA 3.1.2, YTS 169.4.2 and YTS 156.7.7 (a synergistic depleting cocktail of CD4 and CD8 monoclonal antibodies;

- 26 -

(Qin et al, 1987, Eur. J. Immunol. 17, 1159).

In the case of rat IgG2a antibodies, lmg each of YTS
177.9.6 (CD4) and YTS 105.18.10 (CD8) were used. For the
combined depletion and blocking protocol, the synergistic
5 rat IgG2b cocktail was given i.v. on days 0 and 2 and the
rat IgG2a CD4 and CD8 three times per week thereafter
i.p. until day 21.

Levels of Active Monoclonal Antibody in Serum Serum samples taken from individual mice at 10 various times during and after monoclonal antibody administration were added, 25µl at 1/5 dilution in PBS containing 1% w/v bovine serum albumin (BSA) plus 5% v/v heat inactivated normal rabbit serum, to 5x105 CD4 or CD8 transfected cells. The CD4 transfectant was the rat NB2-15 6TG line expressing mouse L3/T4 (Example 1) while the CD8 (Lyt-2) gene was expressed at high levels in mouse Lcells (Zamoyska, 1985, Cell, 43, 153). Bound antibody was detected using monoclonal anti-rat IgG2a coupled to FITC (MARG2A-FITC; Serotec, Oxford, UK) at the 20 manufacturer's recommended dilution, and analysis was on an Ortho 50H Cytofluorograf with 1250 computer (Ortho, Westwood, MA, USA). The mean fluorescence was compared to a standard dilution series of purified CD4 or CD8 antibody (YTS 177.9.6 or YTS 105.18.10) in normal mouse 25 serum to derive equivalent concentration values for the serum samples. Where the fluorescence showed saturating antibody, or no detectable fluorescence above background, the result was assumed to be greater than or less than the titratable range of the standard curve.

30

Preparation of Peripheral Blood Leucocytes

Mice were bled individually from the tail vein
(approx. 0.lml) into sterile tubes containing 1U heparin.
The plasma was then removed after centrifugation in a

- 27 -

microfuge (6000 rpm) for 2 mins. Red blood cells were lysed twice by adding 0.9ml of water for 10 secs at room temperature followed by 0.1ml of 10X phosphate buffered saline and the white cells collected by centrifugation at 5 1,000 rpm for 7 mins (Chandler et al, 1979, J. Immunol. Methods 31, 341).

Monitoring T-cell Subsets for Depletion
Peripheral blood leucocytes were prepared from
individual treated mice as described above. These were
10 stained with supernatants containing monoclonal
antibodies against either CD4 (YTS 191.1.2 plus YTA
3.1.2) or CD8 (YTS 169.4.2 plus YTS 156.7.7) antigens.
Other monoclonal antibodies (see Table 6) were also used
as controls. Bound antibody was detected using a mixture
15 of monoclonal anti-rat IgG2b-FITC (NORIG-7.16-FITC;
Clark, 1986, Methods Enzymol. 121, 548) and monoclonal
anti-rat kappa light chain (MAR-18.5-FITC; Lanier et al,
1982, Hybridoma, 1, 125). The fluorescence was analyzed
using an Ortho 50H Cytofluorograf with 1250 computer and
20 linear amplifiers, with gating on forward and ninety
degree scatters to select for live lymphocytes.

Mixed Lymphocyte Cultures

Responder cells were obtained from individual mouse blood samples (approx 0.2ml) by water lysis as 25 described above. Each sample was assayed for proliferation by splitting the cells into three U-bottom tissue culture microtitre wells (approx 4x10⁵ white cells per well) containing 4x10⁵ well washed, mitomycin-C (Sigma, Poole, UK; 25µg/ml) treated stimulator spleen 30 cells. The final volume of Iscove's modified Dulbecco's medium (IMDM) containing 10% heat inactivated human AB serum was 0.1ml. After 3 days at 37°C in a 5% CO₂ gassed incubator, 5µl of ¹²⁵I-deoxyuridine (IUDR; 10µCi/ml, Amersham, UK) was added for six hours. The ¹²⁵T

- 28 -

incorporation was measured by harvesting the cells onto glass fibre filters and counting on a Philips Automatic Gamma Counter.

A Combination of Depleting and Blocking CD4 and CD8
Antibodies is Permissive for Tolerance to MHC-Mismatched
Skin Grafts

Example 1 has shown that three weeks of therapy with non-depleting CD4 and CD8 antibodies permitted tolerance to multiple minor incompatible skin grafts. In 10 order to establish a treatment protocol that might tolerize across strong MHC differences we compared tha effects of administering depleting (rat IgG2b), nondepleting (blocking rat IgG2a) and a combination of depleting followed by blocking CD4 and CD8 antibodies to 15 CBA/Ca (H-2k) mice grafted with BALB/c (H-2d) skin (Figure 9). As we have previously reported, a strictly depleting protocol delayed rejection significantly, but all mice rejected within 70 days (MST = 55 days). Nondepleting antibodies were here less effective (MST = 28 20 days), but a combination of two depleting doses followed by blockade with rat IgG2a antibodies gave the longest graft survival (MST > 100 days), although most (but not all) grafts were rejected by 200 days. In this experiment, second BALB/c test grafts were given at day 25 94, together with third party BlO (H-2b) skin. These third party grafts were rejected promptly (MST = 16 days), demonstrating that the mice had returned to immunocompetance, whilst the second BALB/c grafts survived for a median of 43 days. This shows that there 30 must have been some degree of specific unresponsiveness to BALB/c graft antigens.

Although we did not obtain complete tolerance in this strain combination, we found the same combined protocol to be fully tolerance permissive when Bio (H-2^b)

PCT/GB90/00840 WO 90/15152

- 29 -

skin was grafted onto MHC incompatible CBA/Ca (H-2k) mice. Figure 10 shows that 6/8 recipient mice kept their original skin grafts indefinitely (> 250 days), while all mice rejected the third party BALB/c skin grafted on day 5 119 within 15 days. Second B10 grafts had substantially extended survival times (MST = 44 days), but all were eventually rejected even when the first grafts, assumed to be genetically identical, were maintained. This result is reproducible and shows clearly that the 10 tolerated first graft enjoys privilege of tenure, despite the presence of effector cells capable of rejecting the second graft. Whatever the mechanism, the original skin graft must have induced, and maintained, a state of unresponsiveness to itself. The ability of mice to 15 distinguish between the first and second B10 grafts seemed to be dependant on rejection of the third party skin, as 5/8 mice given B10.BR instead of BALB/c grafts remained tolerant to all three (Figure 10). This demonstrates that the recipients were tolerant of B10 20 minor antigens in the context of both donor MHC, which means that the graft can itself present for tolerance, and also recipient-type MHC, which must have been through reprocessing of the original graft antigens and presentation for tolerance by recipient APCs.

This is the first report of antibody mediated tolerance across complete MHC barriers using highly immunogenic skin grafts as the only source of tolerogen. It should be stressed that the graft itself must have provided all the antigen presentation necessary for 30 tolerance to occur.

25

35

The Combination of Depleting and Blocking Antibodies Also Permits Tolerance to Skin Matched for MHC but Mismatched for Multiple Non-MHC Minor Antigens In Example 1 we have demonstrated that blocking with monoclonal antibodies to CD4 and CD8 was sufficient

to obtain tolerance to skin grafts differing in multiple minor antigens (B10.BR onto CBA/Ca). In Figure 11 it can be seen that the combined depleting followed by blocking protocol was also effective with 8/10 CBA/Ca mice keeping 5 their AKR/J grafts indefinitely. Six of these mice also held second AKR/J grafts (skin grafted at day 122 without further antibody therapy), while all mice rejected third party minor mismatched skin (B10.BR). The rejection of this third party skin was, however, somewhat slower than 10 normal CBA controls (27 days compared with the normal 14; Cobbold et al, 1986, Transplantation, 41, 634). The reverse combination (B10.BR onto CBA/Ca) was also rendered tolerant using the depletion followed by blocking protocol (4/5 grafts > 220 days), but 2/5 mice 15 accepted both the third party minors difference AKR/J skin as well as the second Blo.BR graft (data not shown). This presumably reflects the large number of shared minor antigens and is reminiscent of the finding of "dominant" tolerance seen in a different experimental model 20 (Zamoyska et al, 1989, Eur. J. Immunol. 19, 111).

In summary for this section, we wish to conclude that CD4 and CD8 antibodies, when used appropriately, permit tolerance to be induced across both MHC and non-MHC antigen differences, to skin grafts alone, without the need for any further haemopoietic source of antigen, nor other myeloablative therapy. Clearly, skin grafts are able to present antigen directly to peripheral T-cells either for activation, which leads to rejection, or for inactivation, which instead lead to acceptance and tolerance.

The Effects of Combined Rat IgG2b and IgG2b Antibodies on Circulating T-cells

In view of the remarkable tolerogenic effects

- 31 -

seen in the above experiments, it was important to assess the effects of the monoclonal antibodies on circulating CD4⁺ and CD8⁺ T-cells. We have shown previously that rat IgG2b antibodies to either CD4 or CD8 deplete their 5 target T-cells (Cobbold et al, 1984, Nature, 312, 548). In Example 1 rat IgG2a antibodies, in the doses given. tended only to modulate the antigen from the cell surface. In the case of the combined protocol, the initial doses of rat IgG2b CD4 and CD8 monoclonal 10 antibodies caused a reduction in the number of T-cells as expected, and then the proportion of CD4+ and CD8+ cells actually started to recover during the continued treatment with IgG2a antibodies (Table 7), although the amount of antigen expressed was much reduced (data not 15 shown). Residual antibody was present on the T-cells throughout the administration period, making detailed measurements of CD4+ and CD8+ cells difficult. Thereafter, the proportion of T-cells in the peripheral blood remained diminished for at least one month after

shown).

One mechanism for the suppression of graft rejection by non-depleting monoclonal antibodies is 25 through blocking the function of CD4 and CD8 accessory molecules on the T-cell surface during antigen presentation. This would be most effective only if serum antibody was maintained at levels sufficient to saturate

20 stopping the antibody, an effect not observed when IgG2a antibodies were given alone in equivalent does (data not

30 treated mice was indeed found to be sufficient to saturate the target CD4 and CD8 antigens throughout the three weeks of treatment, and in some mice up to three weeks after stopping antibody administration (Table 8). However, by day 60, there was no detectable (< 0.5ng/ml

antigen positive cells. The levels of active antibody in

CD4 and < 10ng/ml CD8) monoclonal antibody left in the serum which could otherwise have maintained a non-specific immunosuppression. It should be noted that none of the mice made any detectable antiglobulin (neither anti-species nor anti-idiotype) as measured by a capture ELISA, indicating that mice were also rendered tolerant of rat immunoglobulin by this protocol.

Tolerant Mice Can Still Respond In Vitro
We found that CBA mice rendered tolerant of B10

skin as described above were still capable of
proliferating in vitro to B10 stimulator spleen cells
(Table 9), showing that a significant number of alloreactive T-cells had not been deleted. Clearly the
recipients immune system is tolerant to the antigens
presented by the original graft, but is still capable of
reacting to in vitro presentation by spleen stimulator
cells or a second skin graft.

The Induction of Tolerance in Mice Previously Primed
To Minor Antigens

given that virgin T-cells in the peripheral immune system could be tolerized by graft-born antigens, we sought to determine if primed T-cells were also tolerance susceptible. We found that both of the two treatment protocols (blocking alone, or depletion followed by blocking) were effective for the induction of tolerance to either AKR/J or B10.BR skin in CBA/Ca mice previously primed with irradiated donor spleen cells (Figures 12a-12d). In contrast, we have previously shown that depleting the CD4+ and CD8+ T-cells, although equally immunosuppressive in naive or primed mice, was not tolerance permissive for multiple minor antigen mismatched skin, as all the grafts were eventually rejected (Cobbold et al, 1986, Transplantation, 41, 634).

The only difference between the naive mice of

PCT/GB90/00840 WO 90/15152

- 33 -

Figure 11 and the primed mice of Figure 12 was seen after rechallenge. About half the mice in the group which had been primed and tolerized to AKR/J eventually rejected both first and second AKR/J grafts, although more slowly 5 than the B10.BR third party grafts (MST = 63 and 21 days respectively; Figure 12a). In the B10.BR onto CBA combination the majority of mice held the original grafts indefinitely, while, in some mice, both the second B10.BR and AKR/J grafts rejected slowly (Figure 12c). This 10 difference in behaviour of the strain combinations is compatible with that seen in naive mice (see Figure 11) and probably lies in the complex pattern of shared and unique minor antigens.

Tolerance Induction During Active Rejection

of a Skin Graft

15 The finding that even sensitized T-cells are tolerizable has obvious clinical implications. It would clearly be advantageous to induce tolerance in the face of an ongoing immune response, especially in autoimmunity 20 or during an organ rejection crisis after transplantation. In Figure 13 it can be seen that it is indeed possible to reverse ongoing rejection of multiple minor antigen mismatched skin grafts and establish longterm survival, in some cases in both the first and second 25 grafts. In this experiment, combined depletion followed by blockade was most effective (Figure 13a), but as 3/6 of the mice given the blocking (non-depleting) antibodies also held their second grafts (Figure 13b), it must be possible even for effector T-cells to be rendered inactive or tolerant.

- 34 -

	TAB	LE 1 Bi	nding	of	YTS	177.9	on	L3T4	transfected cells
	Mab					ક્ર	of p	ositive cells	
								L3T4	a
5	YTS	177.9 ^b						98.	7
	YTS	191.1 ^b						99.	1
	YTS	177.9°	and					1.	1
	YTS	191.1							
	YTS	177.9°	and					98.	1
10	YTA	3.1							

- a L3/T4 transfected cell lines stained with respective Mabs and analysed by flow cytometry.
- b Mabs were used as tissue culture supernatant
 followed by FITC conjugated rabbit anti-rat Iq.
 - c Biotinylated Mabs, which were incubated with excess amount of 'cold' Mabs given underneath. The fluorescence was developed with FITC-strepayidin.

Table 2 Delay of skin graft rejection by IgG2a and IgG2b CD4 Mabs

MAB TREATMENT ^a		8 OF CELLS	q	GRAFT SURVIVAL (DAYS)	(DAYS)
YTS 191.1	CD4 ⁺ 1.9±1.5	CD8 ⁺ 17.3±1.7	CD8 ⁺ Thy-1 ⁺ 17.3 <u>+</u> 1.7 20.2 <u>+</u> 4.4	B10.BR BALB/C	BALB/c
YTS 191.1	1.2±1.1	18.1±2.3	18.1±2.3 24.5±3.6	58,65.	15,18,19,
YTS 177.9	28.3+9.8	15,3±0,4	15.3±0.4 48.8±5.0	15,20,22,>120,	19,20,21
YTS 177.9	27.5±10.1	27.5±10.1 16.1±1.2	46.9+4.2	>120,>120.	19,19,20,
none	39.8+3.0	39.8±3.0 12.5±1.5 47.0±2.8	47.0+2.8	10,11,12	20,21,21. 9,10,10,

a) Normal CBA/Ca mice were given CD4 Mabs for 2 weeks (appr. 7 mg/mouse) starting from 3 days before skin grafting.

biotinylated YTA 3.1 (CD4), YTS 156.7 (CD8) and YTS 154.7 (Thy-1), followed by streptavidin Peripheral blood collected 4 days after the last Mab injection were stained with FITC. The results were analysed by flow cytometry. P)

12 days; YTS 191.1 treated: 32 days non-treated control: (v.s. control: p<0.005). MST of B10.BR grafts: Û

MST of BALB/c grafts: non-treated control: 10.5 days; YTS 191.1 treated 19 days (v.s. VTS 177.9 treated: 20 days (v.s. control p≤0.006, v.s. XTS 191.1 group, p<0.4). YTS 177 treated: 22 days (v.s. control p<0.004, v.s YTS 191.1 group, p<0.7). control, p<0.006);

- 36 -

TABLE 3: Tolerance of MIs-1^b mice to MIs-1^a antigen is associated with anergy of Vβ6+ cells

5	MICE			RESP	ONSES T	0: (cpm	1)	
		AKR/	J BALB/c	anti-	Vβ6 CD3	-ve	%Vβ6+ cells	
	1	772	11117	583	12350	596	10.2	
	2	439	8964	1173	9879	460	12.1	
10	3	961	6498	1050	7719	703	8.7	
	4	1203	12866	1163	13496	1082	7.5	
	5	859	10784	764	11230	977	7.8	
	Normal	20756	9633	10440	11980	868	7.0	_
15	mice	27529	17253	10530	13291	642	10.2	
	Marrow	38264	10042	13950	19087	815	8.1	
	only	15832	8679	7267	13563	976	9.0	

²⁰ Normal CBA/Ca mice were treated with ${\rm rIgG}_{2a}$ CD4 (YTS 177.9) and ${\rm rIgG}_{2b}$ CD8 (YTS 156.7) for 3 weeks with a total of mabs of lomg/mouse. $2{\rm x}10^7$ AKR/J bone marrow cells were injected. 4 weeks later, spleen cells from these mice were tested in MLC and fluorescence stained for flow cytometry.

²⁵ Figures given are geometric means of triplicates.

- 37 -

TABLE 4: Tolerance and anergy to MIs-1^a in ATX MIs-1^b mice^a

5	MICE		RESPONSES	TO: (cpm) ^b % Vβ6+	cells ^c
		AKR	BALB/c	Anti-Vβ6	
	1	1348	8081	696	2.8
	2	1145	10231	812	2.9
	3	998	7311	976	3.7
10	4	1039	6508	793	3.3
	Control	d 12463	10283	7374	3.8
	Mice	15578	8864	5824	2.9

¹⁵ a ATX CBA/Ca mice were injected with equal amounts of rIgG_{2a} CD4 mAb (YTS 177.9) and rIgG_{2b} CD8 mAb (YTS 156.7) for 2 weeks (total mAbs 7mg/mouse).2x10⁷ AKR bone marrow cells were infused 2 days after the beginning of mAb treatment. 8 weeks later, their spleen cells were
20 stimulated in vitro as described in Example 2.

b Numbers given are counts per minute (geometric means of triplicate samples) of each individual mouse.

^C Spleen V β 6+ cells stained with mAb 44-22-1 (Payne et al, 1988, PNAS USA, 85, 7695) and analysed by flow cytometry.

²⁵ d Control mice were ATx CBA injected with mAbs only.

- 38 -

TABLE 5: Transfer of normal lymphocytes does not break tolerance in normal mice

	ANIMALS	CELLS INJECTED ^a	GRAFT SURVIVAL
5		AFTE	R CELL TRANSFER
10	Tolerant CBA	B10.BR spleen cells naive CBA spleen cells sensitised CBA spleen cells	>100 days x 4 >100 days x 4 15, 17, 17, 21,
		naive CBA spleen cell sensitised CBA spleen cells	12, 14, 14, 15 8, 8, 9, 10
15	ATX CBA	none	>100 days x 4

CBA/Ca mice were rendered tolerant to B10.BR skin as described in Figure 13a legend.

- $_{20}$ a Mice carrying B10.BR skin for >200 days were selected and injected with 5 x $_{10}^{7}$ spleen cells intravenously.
 - b ATX CBA mice were depleted of T cells by injection of CD4 and CD8 mAbs at least 4 weeks before they were grafted with B10.BR skin.
- 25 C Sensitised spleen cells were from CBA mice which had been injected wih Blo.BR spleen cells and had rejected Blo.BR skin grafts.

- 39 -

TABLE 6: Monoclonal antibodies used

5	Monoclon antibody		Specif	icity	Epit	ope	Isotype	Reference	
	YTS 191.	1.2	mouse	CD4	a		IgG _{2b}	Cobbold <u>et al</u> , 1984, Nature, 312, 548	
10	YTA 3.1.	2	mouse	CD4	b		IgG _{2b}	Qin <u>et al</u> , Eur J. Immunol. <u>17</u> 1159, 1987	
	YTS 177.	9.6	mouse	CD4	a		IgG _{2a}		
15	YTS 169.	4.2	mouse	CD8 L	yt-2	(a)	IgG _{2b}	Cobbold <u>et al</u> , 1984, Nature, 312, 548	
	YTS 156.	7.7	mouse	CD8 I	yt-3	(b)	IgG _{2b}	Qin <u>et al</u> , 198 J.Exp.Med. <u>169</u> 779	
	YTS 105.	18.1	0 mouse	CD8	Lyt-2	(c)	IgG _{2a}		
20	YTS 154.	7.7	mouse	Thy-1	mono	morp	ohic IgG _{2b}	Cobbold <u>et al</u> , 1984, Nature, <u>312</u> , 548	
25	YTS 121.	5.2	mouse	CD5	Lyt	-1	IgG _{2b}	Cobbold <u>et al</u> , 1984, Nature, 312, 548	

decement to the

- 40 -

TABLE 7: Remaining T-cells in CD4+CD8 antibody treated mice

5	B10 tolerant CBA Per-cent of spleen cells staining positive									
	Time (days)	CD4+	CD8+	Thy-1+CD5+	anti-rat Ig*	number tested				
	0	34±2	16±1	47±1	0±0	4				
10	5	12±3	12±5	13±4	6±1	8				
	12	18±4	18±6	18±5	3±1	3				
	19	27±4	22±3	26±5	3±3	6				
	45	24±5	11±2	28±4	0±0	8				

^{15 *}Anti-rat Ig was a mixture of MAR-18.5-FITC and NORIG-7.16-FITC.

exendent - WO 901515941 I s

All mice received rat $\rm IgG_{2b}$ CD4 and CD8 followed by rat $\rm IgG_{2a}$ CD4 and CD8 as described in Example 2 from day 0-21.

- 41 -

TABLE 8: Serum levels of active IqG CD4 and CD8 monoclonal antibodies

	CD4 serum antibody					CD8 serum antibody			dy
5			(ng/ml)			(ng/r	ml)	
		[Four	indiv	idual 1	mice]	[Fot	ır indi	ividual	mice)
	Time								
	Day 0	<0.5	<0.5	<0.5	<0.5	<10	<10 <	<10 <1	.0
10	Day 12	>100	>100	>100	>100	>100	120	150 >	1000
	Day 19	50	>100	>100	>100	190	>1000	>1000	>1000
	Day 29	50	>100	>100	>100	75	250	>1000	>1000
	Day 32	80	90	>100	>100	500	600	>1000	>1000
	Day 36	5	100	>100	>100	60	85	5 0 0	>1000
15	Day 43	<0.5	15	70	>100	<10	<10	12	25
	Day 46	<0.5	<0.5	<0.5	1.0	<10	<10	<10	<10
	Day 60	<0.5	<0.5	<0.5	<0.5	<10	<10	<10	<10
	Day 78	<0.5	<0.5	<0.5	<0.5	<10	<10	<10	<10

²⁰ Monoclonal antibody treatment was rat IgG_{2b} CD4 and CD8 on days 0 and 2, followed by rat IgG_{2a} CD4 and CD8 three times per week until day 21 (2mg total per injection).

minnen un correctation

- 42 -

TABLE 9: Proliferation of Peripheral Blood Lymphocytes
from Bl0 tolerant CBA mice

5	Proliferation	(¹²⁵ IUDR i	ncorporatio	n) to stimulators
	Group	CBA	BALB/c	B10
		(cpm.)	(cpm.)	(cpm.)
	Normal CBA control	1 370+236	4952+5236	2210+2622
0		-121	-2624	-1285
	B10 tolerant CBA		4952+3470	
		-448	-2091	-1656

Individual B10 tolerant CBA/Ca mice, or normal controls, 15 were bled from the tail vein on day 78.

Proliferation of peripheral blood cells was determined as in Example 2.

Figures given are logarithmic means and standard deviations of six mice per group.

- 43 -

CLAIMS


- Products containing a non-depleting CD4 monoclonal antibody and a non-depleting CD8 monoclonal antibody as a combined preparation for simultaneous,
 separate or sequential use in inducing tolerance to an antigen.
 - Products according to Claim 1, further containing a depleting CD4 monoclonal antibody and/or a depleting CD8 monoclonal antibody.
- 3. A non-depleting CD4 monoclonal antibody for use in a method of treatment of the human or animal body by surgery or therapy.
- A non-depleting CD8 monoclonal antibody for use in a method of treatment of the human or animal body
 by surgery or therapy.
 - 5. An antibody according to Claim 3 or 4 for use in inducing tolerance to an antigen.
- 6. Use of a non-depleting CD4 monoclonal antibody in the preparation of a medicament for use in 20 inducing tolerance to an antigen.
 - 7. Use of a non-depleting CD8 monoclonal antibody in the preparation of a medicament for use in inducing tolerance to an antigen.
- An agent for use in inducing tolerance to an 25 antigen, which agent comprises a non-depleting CD4 monoclonal antibody and a non-depleting CD8 monoclonal antibody.
- An agent according to Claim 8, further comprising a depleting CD4 monoclonal antibody and/or a 30 depleting CD8 monoclonal antibody.
 - 10. A pack comprising as separate components a non-depleting CD4 monoclonal antibody and a non-depleting CD8 monoclonal antibody.


- 44 -


- 11. A pack according to Claim 10, further comprising as separate components a depleting CD4 monoclonal antibody and/or a depleting CD8 monoclonal antibody.
- 5 12. Non-depleting CD4 and CD8 monoclonal antibodies for use together in a method of treatment of the human or animal body by surgery or therapy.
 13. Antibodies according to Claim 12, for use together in inducing tolerance to an antigen.
- 10 14. Antibodies according to Claim 12 or 13,
 further comprising a depleting CD4 monoclonal antibody
 and/or a depleting CD8 monoclonal antibody.

 15. A method of conferring on a subject tolerance
 to an antigen it is wished to administer thereto, which
 15 method comprises administering to the subject an
 effective amount of a non-depleting CD4 monoclonal
 antibody and a non-depleting CD8 monoclonal antibody and
 of the antigen.
- 16. A method of conferring on a subject tolerance 20 to an antigen already possessed by the subject, which method comprises administering to the subject an effective amount of a non-depleting CD4 monoclonal antipody and a non-depleting CD8 monoclonal antibody.
- 17. A method according to Claim 15 or 16, further 25 comprising administering to the subject an effective amount of a depleting CD4 monoclonal antibody and/or a depleting CD8 monoclonal antibody prior to administration of the non-depleting CD4 and CD8 monoclonal antibodies.


ONICHONOR JWD COTETES AT I V








SUBSTITUTE SHEET












Fig.11.






SUBSTITUTE SHEET

0+

25





50


75

100

) 125 TIME (DAYS)













Fig.10b.







SUBSTITUTE SHEET

Fig.12c.





Fig.12d.



SUBSTITUTE SHEET




Fig.13b. GRAFT SURVIVAL (%) 100 90 80 70 60-50->85 DAYS 40-30-20-10 -0+ 10 20 30 40 50 60 70 80 TIME (DAYS)

SUBSTITUTE SHEET

INTERNATIONAL SEARCH REPORT

	INTERNATIONAL S		E/GB 90/00840
1. CLASSIF	CATION OF SUBJECT MATTER (If several clessific		
According to	International Patent Classification (IPC) or to both Nation	al Classification and IPC	
IPC ⁵ :	C 12 P 21/08, A 61 K 39/39	_	
II. FIELDS	SEARCHED Minimum Documents	tion Searched 7	
Clessification		sesification Symbols	
	0,000		
IPC ⁵	C 12 P, A 61 K, C	07 K	
	Documentation Searched other that to the Extent that such Documents a	n Minimum Documentation in included in the Fields Saarchad *	
	MENTS CONSIDERED TO BE RELEVANT ⁹ Citation of Document, ¹⁹ with indication, where appro	poriete of the relevant passages 12	Relevant to Claim No. 13
alegory *	Citation of Document, 11 with snoication, where eppro	portion, or the restriction	I
х	Transplantation Proceedir no. 5, October 1987, Inc., (New York, US), M. Jonker et al.: "E! CD8 specific monoclot vitro and in vivo an relation to the allot rhesus monkeys", page see the whole article	frects of CD4 and nal antibodies in T cells and their graft response in es 4308-4314	1-14
X	Immunol. Cell Biol., volidanuary 1989, (Adela B. Charlton et al.: aggregated human IgG can be induced by co. administration of dedepleting anti-L3T4 bodies", pages 1-7 see page 4, right-ha 21 - page 6, right-h	ide, AU), "Tolerance to but not ovalbumin ncurrent pleting or non- monoclonal anti- nd column, line	3,5,6
"A" doc con "E" eeri filin "L" doc whit coth "P" doc late	Categories of cited documents: 19 ument defining the general state of the srt which is not siderate to be of proclicular relevance disease to be of proclicular relevance and extended the state of the state of the cited to the state of the cited to establish the publication date of enclose nor other space to the cited to establish the publication date of enclose nor other space on the cited calcular, use, shalllong or means under the state of establish the publication of the state of establish the state of establish the state of establish the state of establishing the estate of establishing the estate of establishing t	"T" letar document published after control of the c	ince the application of the control
21st	September 1990	16 OCT	1330
Internetion	EUROPEAN PATENT OFFICE	Signature of Authorized Officer Mme N. KUIPER	tuper

ernational Application No PCT/GB 90/00840

III. DOCUMENTS CONSIDERED TO BE RELEVANT (CONTINUED FROM THE SECOND SHEET) Alegory * Citation of Document, ** with indication, where appropriate, of the raisewant ossessions. Raisewant to Cli							
atagory *	Citation of Document, 11 with Indication, where appropriate, 01 the relevant occasions						
х	The Journal of Immunology, volume 142, no. 5, 1 March 1989, The American Association of Immunologists, (Baltimore, US), N.L. Carteron et al.: "Treatment of murine lupus with F(ab') ₂ fragments of monoclonal antibody to L3T4", pages 1470-1475 see the abstract	3,5,6					
х	Eur. J. Immunol., volume 17, 1987, VCH Verlagsgesellschaft mbH, (Weinheim, DE), S. Qin et al.: "CD4 monoclonal antibody pairs for immunosuppression and tolerance induction", pages 1159-1165 see page 1164, right-hand column, lines 15-29 cited in the application	3,5,6					
1							
	a a						